

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

: Jorn Skovlober HANSEN

Serial No.:

10/608,451

Filed:

June 27, 2003

For:

A CONSTRUCTION TOY WITH REMOTE CONTROL

Art Unit:

3712

Pitney, Hardin, Kipp & Szuch LLP 685 Third Avenue New York, New York 10017 212.297.5800

INFORMATION DISCLOSURE STATEMENT

Commissioner of Patents and Trademarks P.O. Box 1450 Alexandria, VA 22313-1450

SIR:

Prior to receipt of the first Office Action, Applicant wishes to bring to the attention of the Examiner the enclosed Search Report of the European Patent Office and the references cited therein. Two of these references were previously cited in the present application. The remaining references are listed on the enclosed PTO-1449 form and copies are enclosed.

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed: Commissioner of Patents and Trademarks, P.O. Box 1450, Alexandria, VA 22313, on March 26, 2004

Ronald E. Brown

Attorney

Signature

March 26, 2004

Date of Signature

The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Account No. 50-1145, Order No. 2388-827.

2388-827

With regard to German Utility Model DE 298 00 652 UI, the Applicant's U.S. counsel offers

the following based upon correspondence from Applicant's European counsel:

German utility model DE 298 00 652 U1 discloses a remote control toy

car (figures 3 and 4) and a remote control toy ship (figures 5 and 6).

Figures 1 and 2 show a two-channel receiver module 1 with two

mechanical coupling elements 6 and 9 for being mechanically coupled to

corresponding mechanical coupling elements 13 and 14, respectively, in

the toy car and in the toy ship. The receiver module 1 has a rechargeable

battery 10.

The coupling element 9 of the receiver module is driven by a driving

motor 7 for driving the driving wheels 17 of the toy car and for driving

the propeller 17 of the toy ship, when the coupling element 9 of the

receiver module is coupled to the coupling element 14 of the toy ship

(figure 6) or of the toy car (figure 4).

The coupling element 6 of the receiver module is driven by a servo

motor 4 for controlling the steering wheels 18 of the toy car and the

rudder 18 of the toy ship, when the coupling element 6 of the receiver

module is coupled to the coupling element 13 of the toy ship (figure 6) or

of the toy car (figure 4).

The two-channel receiver module 1 thus has two mechanical outputs and

no electrical outputs.

An early examination and allowance are respectfully requested.

Respectfully submitted.

Ronald E. Brown

Registration No. 32,200

Gerald Levy

Registration No. 24,419

2

INFORMATION DISCLOSURE CITATION					Docket Number (Optional) 2388-827 Applicant(s)		Application Number 10/608,451		
101	PE	(Use several sheets if necess	sary)		Jorn Skovlober HA		Froup Art Unit		
					June 27, 2003 3712				
MAR 2	9 200	(o)		U.S. PAT	ENT DOCUMENTS			-	
AMINER FIAL	REF	DOCUMENT NUMBER	DATE	NAME		CLASS	SUBCLASS	FILING DATE IF APPROPRIATE	
		4,556,393	12/03/85	Bolli					
į		4,764,150	08/16/88	Uchino				1	
		4,799,915	01/24/89	Lehmann et al.					
	-								
				ļ					
								h	_
									<u> </u>
•									
				<u> </u>					
			· T	FOREIG	N PATENT DOCUMENT	rs —			
	REF	DOCUMENT NUMBER	DATE		COUNTRY	CLASS	SUBCLASS	YES Tran	slation NO
		1.4			·				
		T		OTHER I	DOCUMENTS (Include	ing Author, Title, Da	ite, Pertinent Pa	ges, Etc.)	
					<u></u>	<u>- · · · · · · · · · · · · · · · · · · ·</u>			
									1.8
XAMINER					DATE CONSIDERED				
XAMINER ot consider	R: Initia	l if citation considered, whether clude copy of this form with next	or not citation is in communication to a	conforman	ce with MPEP Section 609	9; Draw line throug	h citation if not	in conform	ance and
				_					